



CERTIFICATE OF ANALYSIS

Customer: MALTERIE DU CHATEAU
Order ref: 75060 / Invoice N°29890

Product(s)	Batch number	Production date	Expiring date
LEVURE DE BRASSERIE "SAFALE BE-134",	43610	29/08/2018	01/08/2021
LEVURE DE BRASSERIE "SAFALE BE-134", 500G	1800530	13/11/2018	13/11/2021
LEVURE DE BRASSERIE "SAFALE HA-18", 500G	45596	21/11/2018	21/11/2021
LEVURE DE BRASSERIE "SAFLAGER S-189",	40665	01/04/2018	01/04/2021
LEVURE DE BRASSERIE "SAFALE BE-256",	44910	01/10/2018	01/10/2021
LEVURE DE BRASSERIE "SAFALE BE-256", 500G	1800576	05/12/2018	05/12/2021
LEVURE DE BRASSERIE "SAFALE F-2", 20G	43614	01/09/2018	01/09/2021
LEVURE DE BRASSERIE "SAFALE K-97", 500G	1800574	05/12/2018	05/12/2021
LEVURE DE BRASSERIE "SAFALE S-04, 11,5G"	43609	01/09/2018	01/09/2021
LEVURE DE BRASSERIE "SAFALE S-04", 500G	1800328	04/07/2018	04/07/2021
LEVURE DE BRASSERIE "SAFLAGER S-189",	1800493	24/10/2018	24/10/2021
LEVURE DE BRASSERIE SAFLAGER S-23 , 11,5G	39739	01/03/2018	01/03/2021
LEVURE DE BRASSERIE "SAFLAGER S-23", 500G	1800468	10/10/2018	10/10/2021
LEVURE DE BRASSERIE "SAFALE S-33", 500G	1800340	31/07/2018	31/07/2021
LEVURE DE BRASSERIE "SAFALE S-33", 11,5G	44252	01/09/2018	01/09/2021
LEVURE DE BRASSERIE "SAFALE T-58", 500G	1800231	18/05/2018	18/05/2021
LEVURE DE BRASSERIE "SAFALE T-58", 11,5G	43612	01/09/2018	01/09/2021
LEVURE DE BRASSERIE "SAFALE US-05", 500G	1800541	17/11/2018	17/11/2021
	1800556	27/11/2018	27/11/2021
LEVURE DE BRASSERIE "SAFLAGER W-34/70",	1800520	07/11/2018	07/11/2021
LEVURE DE BRASSERIE "SAFALE WB-06, 500G"	1800524	10/11/2018	10/11/2021
LEVURE DE BRASSERIE "SAFALE WB-06", 11,5G	42003	01/06/2018	01/06/2021

DESCRIPTION

Instant dry brewer's yeast.

ANALYTICAL CHARACTERISTICS

Composition:

Saccharomyces
Yeast rehydrating agent

Physico-chemical characteristics:

Dry matter (D.M.)	:	94.0 - 96.5 %	
Proteins (nitrogen x 6,25)/D.M.	:	35 - 50 %	(Indicative)
P205/D.M.	:	1.5 - 3.0 %	(Indicative)

Microbiological characteristics:

Salmonella	:	Abs. in 25 g of dry yeast
------------	---	---------------------------

The production has been made in accordance with the European Sanitary Standards and fits for human consumption.

Marcq-en-Barœul, 06/02/19

