

CERTIFICATE OF ANALYSIS

CaCl₂ Food

CALCIUM CHLORIDE LIQUID 34%

FOOD GRADE

Nedmag B.V.

Billitonweg 1
9641 KZ Veendam
P.O. Box 241
9640 AE Veendam
The Netherlands

T +31 598 651 911
F +31 598 651 226
E info@nedmag.nl
I www.nedmag.com

Company : Brenntag Moerdijk
Your ordernr. : 75405969 / 75405969
Date : 3-8-2021
Nedmag ordernr. : 760006858
Nedmag batchnr. : 2577
Production date : 24-07-2021
Expiry date : 25-7-2023

Nedmag Ca liquid food grade meets the requirements of E509 according to EU Food Additive Regulation 231/2012.

PARAMETER	UNIT	MEASURED VALUE	MINIMUM	MAXIMUM	ANALYTICAL METHOD
Density	kg/L	1,34	1,33		
CaCl ₂	g/L	456	445		Titrimetric
KCl **	g/L	6,2			ICP-AES
NaCl **	g/L	6,3			ICP-AES
MgCl ₂ **	g/L	0,05			ICP-AES
Sum Mg+alkali salts	%	2,67		5	
SO ₄	g/L	0,11		0,5	ICP-AES
Ba	g/L	0,19		0,40	ICP-AES
Fe	mg/L	<0,7		3	ICP-AES
F *	mg/kg	< 10		10	Titrimetric
Cu *	mg/kg	< 0,20		2	ICP-AES
Zn *	mg/kg	< 0,06		2	ICP-AES
As *	mg/kg	0,008		0,03	ICP-AES Hydride
Pb *	mg/kg	1,41		2	Voltammetric
Hg *	mg/kg	0,010		0,03	ICP-AES Hydride
pH	-	5	4	7	

* on anhydrous basis

** sum <5% on anhydrous basis

LICENCE NUMBER TRUCK/TRAILER	00 BGG 5/OF 99 DK
------------------------------	-------------------

Certificate issued by Nedmag QC department