

Imkerij de Traay

Certificate of Analysis



NAME	Mel 450
BATCH NUMBER	7771
BEST BEFORE END	14-3-2024
ANALYSE	VALUE
HMF (mg/kg)	9,37
MOISTURE (%)	18,40
Brix	79,90
Fructose / Glucose Ratio	1,11
Antibiotics	
Streptomycine	< 10 ppb
Chloramphenicol	< 0,3 ppb
Tetracyclines	< 10 ppb
Sulfonamides	< 10 ppb
Macrolides	< 10 ppb
Fluoroquinolones	< 10 ppb
Nitrofuranes	< 1 ppb
Nitroimidazoles	< 1 ppb
Clostridium Botulinum	< 10 cfu/g
Pesticides	Conform EU 396/2005, EC 470/2009, EU 37/2010
Contaminanten	Conform EU EU 1881/2006
GMO	Conform verordening (EG) 1829/2003 en (EG) 1830/2003
NMR screening	Based on the current Honey-Profiling TM database of Br�ker Biospin GmbH and our expert interpretation of the NMR profile, it is shown that the raw material under investigation is not adulterated compared to other authentic honeys as verified in the Honey Directive 2001/110/EC. (NMR screening: honey profiling for authenticity and quality of the honey tested on the raw honey)
Date	31-03-22

Skal1274

Marloes Kort
Quality Manager