

#### Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

#### **1.1 Product identifier**

Product name	:	Alcodes MaxiWipes
Product code	:	110961E
Use of the Substance/Mixture	:	Disinfectant
Substance type:	:	Mixture
		For professional users only.
Product dilution information	:	No dilution information provided.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	:	Surface disinfectant. Manual process Wet wipe. Manual process
Recommended restrictions on use	:	Reserved for industrial and professional use.

#### 1.3 Details of the supplier of the safety data sheet

Company	:	Ecolab Ltd. PO Box 11; Winnington Avenue Northwich, Cheshire, United Kingdom CW8 4DX + 44 (0)1606 74488
		ccs@ecolab.com

#### 1.4 Emergency telephone number

Emergency telephone	:	+441618841235
number		+32-(0)3-575-5555 Trans-European

Date of Compilation/Revision	:	14.08.2018
Version	:	3.0

# Section: 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2

H225

#### 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal Word	: Danger	
Hazard Statements	: H225	Highly flammable liquid and vapour.
Precautionary Statements	: <b>Prevention:</b> P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## Additional Labelling:

Special labelling of certain mixtures	:	Safety data sheet available on request.
II		Contains: glutaraldehyde, May produce an allergic reaction.

## 2.3 Other hazards

None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

#### Hazardous components

Chemical Name	CAS-No.	Classification	Concentration:		
	EC-No.	REGULATION (EC) No 1272/2008	[%]		
	REACH No.				
Isopropyl Alcohol	67-63-0 200-661-7 01-2119457558-25	Flammable liquids Category 2; H225 Eye irritation Category 2; H319 Specific target organ toxicity - single exposure Category 3; H336	>= 3 - < 5		
Substances with a workp	blace exposure limit :				
ethanol	64-17-5 200-578-6 01-2119457610-43	Flammable liquids Category 2; H225	>= 50 - <= 100		
For the full text of the H-Statements mentioned in this Section, see Section 16.					
Section: 4. FIRST AID MEASURES					

# 4.1 Description of first aid measures

In case of eye contact	: Rinse with plenty of water.
In case of skin contact	: Rinse with plenty of water.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Get medical attention if symptoms occur.

# 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

## 4.3 Indication of immediate medical attention and special treatment needed

#### Treatment

: Treat symptomatically.

## Section: 5. FIREFIGHTING MEASURES

## 5.1 Extinguishing media

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting	<ul> <li>Fire Hazard</li> <li>Keep away from heat and sources of ignition.</li> <li>Flash back possible over considerable distance.</li> </ul>
Hazardous combustion products	<ul> <li>Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus</li> </ul>

#### 5.3 Advice for firefighters

Special protective equipment for firefighters	:	Use personal protective equipment.
Further information	:	Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

#### Section: 6. ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel	:	Remove all sources of ignition. Refer to protective measures listed in sections 7 and 8.
Advice for emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

#### **6.2 Environmental precautions**

Environmental precautions : Do not allow contact with soil, surface or ground water.

## 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	:	Sweep up and shovel into suitable containers for disposal.
-------------------------	---	--

#### 6.4 Reference to other sections

See Section 1 for emergency contact information. For personal protection see section 8. See Section 13 for additional waste treatment information.

## Section: 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Advice on safe handling	: Use only with adequate ventilation. Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Wash hands thoroughly after handling.	
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.	
7.2 Conditions for safe storage, including any incompatibilities		

Requirements for storage areas and containers	:	Keep away from heat and sources of ignition. Keep in a cool, well- ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
Storage temperature	:	-10 °C to 30 °C

# 7.3 Specific end uses

Specific use(s)	: Surface disinfectant. Manual process Wet wipe. Manual process
	•

# Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

# **Occupational Exposure Limits**

Components	CAS-No	).	Value type (Form of exposure)	Control parameters	Basis
ethanol	64-17-5		TWA	1,000 ppm 1,920 mg/m3	UKCOSSTD
Further information	2		no specific short-tern erm exposure should b	n exposure limit is listed, a figure	three times the
Isopropyl Alcohol	67-63-0		TWA	400 ppm 999 mg/m3	UKCOSSTD
			STEL	500 ppm 1.250 mg/m3	UKCOSSTD

# DNEL

DINEL		
Isopropyl Alcohol	:	End Use: Workers Exposure routes: Dermal Potential health effects: Long-term systemic effects Value: 888 mg/cm2
		End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 500 mg/m3
		End Use: Consumers Exposure routes: Dermal Potential health effects: Long-term systemic effects Value: 319 mg/cm2

End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 89 mg/m3
End Use: Consumers Exposure routes: Ingestion Potential health effects: Long-term systemic effects Value: 26 ppm

PNEC

PNEC		
Isopropyl Alcohol	: Fresh water Value: 140.9 mg/l	
	Marine water Value: 140.9 mg/l	
	Intermittent use/release Value: 140.9 mg/l	
	Fresh water Value: 552 mg/kg	
	Marine sediment Value: 552 mg/kg	
	Soil Value: 28 mg/kg	
	Sewage treatment plant Value: 2251 mg/l	
	Oral Value: 160 mg/kg	

# 8.2 Exposure controls

Appropriate engineering controls

Engineering measures	:	Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.
Individual protection measure	es	
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.
Eye/face protection (EN 166)	:	No special protective equipment required.
Hand protection (EN 374)	:	No special protective equipment required.
Skin and body protection (EN 14605)	:	No special protective equipment required.

Respiratory protection (EN : 143, 14387)	When respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization, consider the use of certified respiratory protection equipment meeting EU requirements (89/656/EEC, (EU) 2016/425), or equivalent, with filter type:A-P		
Environmental exposure controls			

General advice	:	Consider the provision of containment around storage vessels.
----------------	---	---

# Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Appearance	: absorbed liquid (wipes, pads,)
Colour	: light blue
Odour	: alcohol-like
pН	: 6.0 - 7.0, 1 %
' Flash point	: 17 °C closed cup
Odour Threshold	: Not applicable and/or not determined for the mixture
Melting point/freezing point	: Not applicable and/or not determined for the mixture
Initial boiling point and boiling range	: Not applicable and/or not determined for the mixture
Evaporation rate	: Not applicable and/or not determined for the mixture
Flammability (solid, gas)	: Not applicable and/or not determined for the mixture
Upper explosion limit	: Not applicable and/or not determined for the mixture
Lower explosion limit	: Not applicable and/or not determined for the mixture
·	
Vapour pressure	: Not applicable and/or not determined for the mixture
Relative vapour density	: Not applicable and/or not determined for the mixture
Relative density	: 0.84 - 0.85
Water solubility	: Not applicable and/or not determined for the mixture
Solubility in other solvents	: Not applicable and/or not determined for the mixture
Partition coefficient: n- octanol/water	: Not applicable and/or not determined for the mixture
Auto-ignition temperature	: Not applicable and/or not determined for the mixture
Thermal decomposition	: Not applicable and/or not determined for the mixture
Viscosity, kinematic	: Not applicable and/or not determined for the mixture
Explosive properties	: Not applicable and/or not determined for the mixture
Oxidizing properties	The substance or mixture is not classified as oxidizing.
51 1	9

## 9.2 Other information

Not applicable and/or not determined for the mixture

## Section: 10. STABILITY AND REACTIVITY

## 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

Stable under normal conditions.

#### **10.3 Possibility of hazardous reactions**

No dangerous reaction known under conditions of normal use.

#### 10.4 Conditions to avoid

Heat, flames and sparks.

#### 10.5 Incompatible materials

None known.

## **10.6 Hazardous decomposition products**

Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

## Section: 11. TOXICOLOGICAL INFORMATION

#### **11.1 Information on toxicological effects**

Information on likely routes of exposure	:	Eye contact, Skin contact
Product		
Acute oral toxicity	:	There is no data available for this product.
Acute inhalation toxicity	:	There is no data available for this product.
Acute dermal toxicity	:	There is no data available for this product.
Skin corrosion/irritation	:	There is no data available for this product.
Serious eye damage/eye irritation	:	There is no data available for this product.
Respiratory or skin sensitization	:	There is no data available for this product.
Carcinogenicity	:	There is no data available for this product.
Reproductive effects	:	There is no data available for this product.

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

# Alcodes MaxiWipes

-	
Germ cell mutagenicity	: There is no data available for this product.
Teratogenicity	: There is no data available for this product.
STOT - single exposure	: There is no data available for this product.
STOT - repeated exposure	: There is no data available for this product.
Aspiration toxicity	: There is no data available for this product.
Components	
Acute oral toxicity	: Isopropyl Alcohol LD50 rat: 5,840 mg/kg
	ethanol LD50 rat: 10,470 mg/kg
Components	
Acute inhalation toxicity	<ul> <li>Isopropyl Alcohol</li> <li>4 h LC50 rat: &gt; 30 mg/l</li> <li>Test atmosphere: vapour</li> </ul>
	ethanol 4 h LC50 rat: 117 mg/l Test atmosphere: vapour
Components	
Acute dermal toxicity	: Isopropyl Alcohol LD50 rabbit: 12,870 mg/kg
	ethanol LD50 rabbit: > 15,800 mg/kg
Potential Health Effects	
Eyes	: Health injuries are not known or expected under normal use.
Skin	: Health injuries are not known or expected under normal use.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.
Experience with human exp	osure
Eye contact	: No symptoms known or expected.
Skin contact	: No symptoms known or expected.
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.

# Section: 12. ECOLOGICAL INFORMATION

# 12.1 Ecotoxicity

Environmental Effects		This product has no known ecotoxicological effects.
	-	····· ]·······························
Product		
Toxicity to fish		no data available
Toxicity to daphnia and other aquatic invertebrates	:	no data available
Toxicity to algae	:	no data available
Components		
Toxicity to fish	:	Isopropyl Alcohol 96 h LC50 Pimephales promelas (fathead minnow): 9,640 mg/l
		ethanol 96 h LC50 Pimephales promelas (fathead minnow): > 100 mg/l
Components		
Toxicity to daphnia and other aquatic invertebrates	:	Isopropyl Alcohol LC50 Daphnia magna (Water flea): > 10,000 mg/l
12.2 Persistence and degradabi	ity	
Product		
no data available		
Components		
<b>Components</b> Biodegradability	:	Isopropyl Alcohol Result: Readily biodegradable.
-	:	
-	:	Result: Readily biodegradable. ethanol
Biodegradability	:	Result: Readily biodegradable. ethanol
Biodegradability 12.3 Bioaccumulative potential	:	Result: Readily biodegradable. ethanol
Biodegradability 12.3 Bioaccumulative potential no data available	:	Result: Readily biodegradable. ethanol
Biodegradability 12.3 Bioaccumulative potential no data available 12.4 Mobility in soil		Result: Readily biodegradable. ethanol Result: Readily biodegradable.

Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

no data available

# Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste.Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

#### 13.1 Waste treatment methods

Product	Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
Contaminated packaging	Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.
Guidance for Waste Code selection	Organic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.

# Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADR/ADN/RID) 14.1 UN number 14.2 UN proper shipping	: 3175 : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
name	(Ethanol, Isopropanol)
14.3 Transport hazard class(es)	: 4.1
14.4 Packing group	: 11
14.5 Environmental hazards	: No
14.6 Special precautions for user	: None
Air transport (IATA)	
14.1 UN number	: 3175
14.2 UN proper shipping name	: Solids containing flammable liquid, n.o.s.
	(Ethanol, Isopropanol)
14.3 Transport hazard class(es)	: 4.1
14.4 Packing group 14.5 Environmental hazards	: II : No

14.6 Special precautions for user	: None
Sea transport (IMDG/IMO)	
14.1 UN number	: 3175
14.2 UN proper shipping name	: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
	(Ethanol, Isopropanol)
14.3 Transport hazard class(es)	: 4.1
14.4 Packing group	: 11
14.5 Environmental hazards	: No
14.6 Special precautions for user	: None
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	: Not applicable.

#### Section: 15. REGULATORY INFORMATION

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **National Regulations**

Take note of Dir 94/33/EC on the protection of young people at work.

Other regulations	:	The Chemicals (Hazard Information and Packaging for Supply) Regulations. The Control of Substances Hazardous to Health Regulations. Health and Safety at Work Act.

#### **15.2 Chemical Safety Assessment**

This product contains substances for which Chemical Safety Assessments are still required.

## Section: 16. OTHER INFORMATION

#### Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

Classification	Justification
Flammable liquids 2, H225	

#### Full text of H-Statements

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

# Full text of other abbreviations

ADN – European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR – European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS – Australian Inventory of Chemical Substances; ASTM – American Society for the Testing of Materials; bw – Body weight; CLP – Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR – Carcinogen, Mutagen or Reproductive Toxicant; DIN – Standard of the German Institute for Standardisation; DSL – Domestic Substances List (Canada); ECHA – European Chemicals Agency; EC-Number – European Community number; ECx – Concentration associated with x% response; ELx – Loading

rate associated with x% response; EmS – Emergency Schedule; ENCS – Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS – Globally Harmonized System; GLP – Good Laboratory Practice; IARC – International Agency for Research on Cancer; IATA – International Air Transport Association; IBC – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 – Lethal Concentration to 50 % of a test population; LD50 – Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC No Observed (Adverse) Effect Concentration: NO(A)EL – No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD – Organization for Economic Co-operation and Development; OPPTS – Office of Chemical Safety and Pollution Prevention; PBT – Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID – Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI – Taiwan Chemical Substance Inventory; TRGS – Technical Rule for Hazardous Substances; TSCA – Toxic Substances Control Act (United States); UN – United Nations; vPvB – Very Persistent and Very Bioaccumulative

Prepared by

: Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

## **Annex: Exposure Scenarios**

#### Exposure Scenario: Wet wipe. Manual process

Life Cycle Stage	:	Widespread	d use by professional workers
Product category	:	PC35	Washing and cleaning products (including solvent based products)

#### Contributing scenario controlling environmental exposure for:

Environmental release	:	ERC8a	Wide dispersive indoor use of processing aids in open
category			systems

Daily amount per site	:	7.5 kg							
Type of Sewage Treatment Plant	:	Municipal sewage treatment plant							
Contributing scenario controlling worker exposure for:									
Process category	:	PROC10	Roller application or brushing						
Exposure duration	:	480 min							
Operational conditions and risk management measures	:	Indoor							
		Local Exhaust Ventilation is not required							
General ventilation		Ventilation rate per hour 1							
Skin Protection	:	No							
Respiratory Protection	:	No							
Evnesure Seenerie: Surfees	alia	infoctort M							
Exposure Scenario: Surface disinfectant. Manual process									
Life Cycle Stage	:								
Product category	:	PC35	Washing and cleaning products (including solvent based products)						
Contributing scenario controlling environmental exposure for:									
Environmental release category	:	ERC8a	Wide dispersive indoor use of processing aids in open systems						
Daily amount per site	:	7.5 kg							
Type of Sewage Treatment Plant	:	Municipal sewage treatment plant							
Contributing scenario contro	olliı	ng worker ex	xposure for:						
Process category	:	PROC10	Roller application or brushing						
Exposure duration	:	480 min							
Operational conditions and risk management measures	:	Indoor							
		Local Exhaust Ventilation is not required							
General ventilation		Ventilation rate per hour 1							
Skin Protection	:	No							

Respiratory Protection : No

# Contributing scenario controlling worker exposure for:

Process category	:	PROC8a	Transfer of substance or preparation (charg discharging) from/ to vessels/ large contained dedicated facilities	
Exposure duration	:	60 min		
Operational conditions and risk management measures	:	Indoor		
		Local Exha	ust Ventilation is not required	
General ventilation		Ventilation	rate per hour	1
Skin Protection	:	Yes: See S	ection 8	
Respiratory Protection	:	No		