# Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Product name : TRIMETA CD

Product code : 115741E

Use of the : Cleaner and disinfectant

Substance/Mixture

Substance type: : Mixture

For professional users only.

Product dilution information : 0.0 % - 2.0 %

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Process cleaner. Cleaning In place (CIP) process

Process cleaner. Semi closed cleaning process

Recommended restrictions

on use

: Reserved for industrial and professional use.

## 1.3 Details of the supplier of the safety data sheet

Company : Ecolab Ltd.

PO Box 11; Winnington Avenue

Northwich, Cheshire, United Kingdom CW8 4DX

+ 44 (0)1606 74488 ccs@ecolab.com

## 1.4 Emergency telephone number

Emergency telephone : +441618841235

number +32-(0)3-575-5555 Trans-European

Date of Compilation/Revision : 08.12.2020

Version : 2.7

## **Section: 2. HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

#### **Product AS SOLD**

Corrosive to metals, Category 1 H290 Skin corrosion, Category 1 H314 Serious eye damage, Category 1 H318

## **Product AT USE DILUTION**

Skin corrosion, Category 1 H314

115741E 1 / 19

Serious eye damage, Category 1

H318

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Product AS SOLD

Hazard pictograms

Signal Word : Danger

Hazard Statements : H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary Statements : Prevention:

P280 Wear protective gloves/ eye protection/ face

protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately

all contaminated clothing. Rinse skin with water

or shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water

for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Hazardous components which must be listed on the label:

sulphuric acid Nitric acid

## **Product AT USE DILUTION**

Hazard pictograms



Signal Word : Danger

Hazard Statements : H314 Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:** 

P280 Wear protective gloves/ eye protection/ face

protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off

immediately all contaminated clothing. Rinse

skin with water or shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water

for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

## 2.3 Other hazards

## **Product AS SOLD**

115741E 2 / 19

Do not mix with bleach or other chlorinated products – will cause chlorine gas.

## Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

# Product AS SOLD Hazardous components

Chemical Name	CAS-No.	Classification	Concentration
	EC-No. REACH No.	REGULATION (EC) No 1272/2008	: [%]
sulphuric acid	7664-93-9 231-639-5 01-2119458838-20	Nota B Skin corrosion Category 1A; H314	>= 10 - < 15
	01-2119458838-20	Skin corrosion Category 1A H314 >= 15 %	
		Skin irritation Category 2	
		H315 5 - < 15 % Eye irritation Category 2	
		H319 5 - < 15 %	
Nitric acid	7697-37-2 231-714-2	Nota B Oxidizing liquids Category 2; H272 Acute toxicity Category 3; H331	>= 5 - < 10
	01-2119487297-23	Skin corrosion Category 1A; H314 Serious eye damage Category 1; H318	
		Skin corrosion Category 1A	
		H314 >= 20 % Skin corrosion Category 1B	
		H314 5 - < 20 %	
		Oxidizing liquids Category 3 H272 65 - < 99 %	
		Oxidizing liquids Category 2 H272 >= 99 %	
		Skin corrosion/irritation Category 2	
		1 - < 5 %	
Sodium p-	15763-76-5	Eye irritation Category 2; H319	>= 5 - < 10
cumenesulphonate	239-854-6 01-2119489411-37		
Lactic acid	79-33-4	Skin irritation Category 2; H315	>= 1 - < 2.5
	201-196-2 01-2119474164-39	Serious eye damage Category 1; H318	
		Skin corrosion/irritation Category 2 > 20 - 100 %	
		Skin corrosion/irritation Category 3	
		1 - 20 % Serious eye damage/eye irritation	
		Category 1 > 10 - 100 %	
01 "	<b></b>		4 5 5
Glycolic acid	79-14-1 201-180-5	Acute toxicity Category 4; H302 Acute toxicity Category 4; H332	>= 1 - < 2.5
	01-2119485579-17	Skin corrosion Category 1B; H314 Serious eye damage Category 1; H318	
		Serious eye damage/eye irritation Category 1 > 25 %	
		Serious eye damage/eye irritation Category 2	
		8 - 25 %	
		Skin corrosion/irritation Category 1B 60 - 100 %	

115741E 3 / 19

	Skin corrosion/irritation Category 2 30 - < 60 % Skin corrosion/irritation Category 3 10 - < 30 %	
--	---	--

# Product AT USE DILUTION Hazardous components

Chemical Name	CAS-No.	Classification	Concentration
Chemical Name	EC-No.		
		REGULATION (EC) No 1272/2008	: [%]
	REACH No.		
Nitric acid	7697-37-2	Oxidizing liquidsCategory 2; H272	>= 0.1 - <
	231-714-2	Acute toxicityCategory 3; H331	0.25
	01-2119487297-23	Skin corrosionCategory 1A; H314	
		Serious eye damageCategory 1; H318	
		Skin corrosion Category 1A	
		H314 >= 20 %	
		Skin corrosion Category 1B	
		H314 5 - < 20 %	
		Oxidizing liquids Category 3	
		H272 65 - < 99 %	
		Oxidizing liquids Category 2	
		H272 >= 99 %	
		Skin corrosion/irritation Category 2	
		1 - < 5 %	
Substances with a workp	lace exposure limit :		
sulphuric acid	7664-93-9	Skin corrosionCategory 1A; H314	>= 0.25 - <
	231-639-5		0.5
	01-2119458838-20	Skin corrosion Category 1A	
		H314 >= 15 %	
		Skin irritation Category 2	
		H315 5 - < 15 %	
		Eye irritation Category 2	
		H319 5 - < 15 %	
	_		

For the full text of the H-Statements mentioned in this Section, see Section 16.

## Section: 4. FIRST AID MEASURES

## 4.1 Description of first aid measures

Product AS SOLE	Pro	duct	AS	SOL	D
-----------------	-----	------	----	-----	---

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for

at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.

Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention

immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical

attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention

if symptoms occur.

## **Product AT USE DILUTION**

115741E 4 / 19

In case of eye contact Rinse immediately with plenty of water, also under the eyelids, for

> at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.

> Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention

immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical

attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention

if symptoms occur.

### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

#### 4.3 Indication of immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

### **Section: 5. FIREFIGHTING MEASURES**

#### **Product AS SOLD**

## 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Not flammable or combustible.

Hazardous combustion

products

: Depending on combustion properties, decomposition products

may include following materials:

Carbon oxides Sulphur oxides

#### 5.3 Advice for firefighters

for firefighters

Special protective equipment : Use personal protective equipment.

: Fire residues and contaminated fire extinguishing water must be Further information

disposed of in accordance with local regulations. In the event of

fire and/or explosion do not breathe fumes.

### **Section: 6. ACCIDENTAL RELEASE MEASURES**

## 6.1 Personal precautions, protective equipment and emergency procedures

115741E 5/19

#### **Product AS SOLD**

Advice for non-emergency personnel

: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Advice for emergency responders

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

#### **Product AT USE DILUTION**

Advice for non-emergency personnel

: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Advice for emergency responders

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

## 6.2 Environmental precautions

#### **Product AS SOLD**

Environmental precautions : Do not allow contact with soil, surface or ground water.

### **Product AT USE DILUTION**

Environmental precautions : Do not allow contact with soil, surface or ground water.

#### 6.3 Methods and materials for containment and cleaning up

#### **Product AS SOLD**

Methods for cleaning up

Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

## **Product AT USE DILUTION**

Methods for cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### 6.4 Reference to other sections

See Section 1 for emergency contact information.

For personal protection see section 8.

See Section 13 for additional waste treatment information.

## Section: 7. HANDLING AND STORAGE

115741E 6 / 19

#### 7.1 Precautions for safe handling

#### **Product AS SOLD**

Advice on safe handling

: Do not ingest. Do not get in eyes, on skin, or on clothing. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not breathe spray, vapour. Do not mix with bleach or other chlorinated products – will cause chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Hygiene measures

: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

#### **Product AT USE DILUTION**

Advice on safe handling

 Do not ingest. Do not get in eyes, on skin, or on clothing. Use only with adequate ventilation. Wash hands thoroughly after handling.
 Do not breathe spray, vapour. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Hygiene measures

: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### **Product AS SOLD**

Requirements for storage areas and containers

: Absorb spillage to prevent material damage. Keep only in original

packaging.

Keep away from strong bases. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Storage temperature : 5 °C to 40 °C

Packaging material : Suitable material: Plastic material

Unsuitable material: Mild steel, Aluminium

#### **Product AT USE DILUTION**

Requirements for storage areas and containers

: Keep away from strong bases. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

## 7.3 Specific end uses

## **Product AS SOLD**

Specific use(s) : Process cleaner. Cleaning In place (CIP) process Process cleaner. Semi closed cleaning process

## Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

### **Product AS SOLD**

115741E 7 / 19

#### **Occupational Exposure Limits**

Components	CAS-N	0.	Value type (Form of exposure)	Control parameters	Basis
sulphuric acid	7664-9	3-9	TWA (Thoracic fraction)	0.05 mg/m3	UKCOSSTD
Further information	14	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit should be used.			
			TWA (Mist, thoracic fraction)	0.05 mg/m3	UKCOSSTD
Nitric acid	7697-3	7-2	STEL	1 ppm 2.6 mg/m3	UKCOSSTD

#### **DNEL**

Nitric acid	:	End Use: Workers Exposure routes: Inhalation Potential health effects: Short-term - local Value: 2.6 mg/m3	
		End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 1.3 mg/m3	

#### 8.2 Exposure controls

# Product AS SOLD Appropriate engineering controls

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

#### Individual protection measures

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use.

Wash face, hands and any exposed skin thoroughly after

handling. Provide suitable facilities for quick drenching or flushing

of the eyes and body in case of contact or splash hazard.

Eye/face protection (EN 166) : Safety goggles

Face-shield

Hand protection (EN 374) : Recommended preventive skin protection

Gloves Nitrile rubber butyl-rubber

Breakthrough time: 1 – 4 hours

Minimum thickness for butyl-rubber 0.7 mm for nitrile rubber 0.4

mm or equivalent (please refer to the gloves

manufacturer/distributor for advise).

Gloves should be discarded and replaced if there is any indication

of degradation or chemical breakthrough.

Skin and body protection

(EN 14605)

: Personal protective equipment comprising: suitable protective

gloves, safety goggles and protective clothing including

appropriate safety shoes

Respiratory protection (EN : None required if airborne concentrations are maintained below the

115741E 8 / 19

143, 14387) exposure limit listed in Exposure Limit Information. Use certified

respiratory protection equipment meeting EU

requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods

or procedures of work organization.

# Product AT USE DILUTION Appropriate engineering controls

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Individual protection measures

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use.

Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing

of the eyes and body in case of contact or splash hazard.

Eye/face protection (EN

166)

: Safety goggles

Face-shield

Hand protection (EN 374) : Recommended preventive skin protection

Gloves Nitrile rubber butyl-rubber

Breakthrough time: 1 – 4 hours

Minimum thickness for butyl-rubber 0.7 mm for nitrile rubber 0.4

mm or equivalent (please refer to the gloves

manufacturer/distributor for advise).

Gloves should be discarded and replaced if there is any indication

of degradation or chemical breakthrough.

Skin and body protection

(EN 14605)

: Personal protective equipment comprising: suitable protective

gloves, safety goggles and protective clothing including

appropriate safety shoes

Respiratory protection (EN

143, 14387)

: None required if airborne concentrations are maintained below the

exposure limit listed in Exposure Limit Information. Use certified

respiratory protection equipment meeting EU

requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods

or procedures of work organization.

#### **Environmental exposure controls**

General advice : Consider the provision of containment around storage vessels.

### **Section: 9. PHYSICAL AND CHEMICAL PROPERTIES**

9.1 Information on basic physical and chemical properties

**Product AS SOLD** 

**Product AT USE DILUTION** 

115741E 9 / 19

**Appearance** liquid liquid

Colour clear, light yellow colourless Odour characteristic : slight

Hq : 1.0, 100 %

Flash point : Not applicable., Does not sustain combustion.

Odour Threshold : Not applicable and/or not determined for the mixture Melting point/freezing point : Not applicable and/or not determined for the mixture

Initial boiling point and

boiling range

: > 100 °C

Evaporation rate : Not applicable and/or not determined for the mixture Flammability (solid, gas) : Not applicable and/or not determined for the mixture Upper explosion limit : Not applicable and/or not determined for the mixture Lower explosion limit : Not applicable and/or not determined for the mixture Vapour pressure : Not applicable and/or not determined for the mixture

Relative density : 1.17 - 1.21 Water solubility : soluble

Solubility in other solvents : Not applicable and/or not determined for the mixture Partition coefficient: n-Not applicable and/or not determined for the mixture

octanol/water

Auto-ignition temperature

Relative vapour density

: Not applicable and/or not determined for the mixture Thermal decomposition : Not applicable and/or not determined for the mixture Viscosity, kinematic : Not applicable and/or not determined for the mixture Explosive properties : Not applicable and/or not determined for the mixture Oxidizing properties : The substance or mixture is not classified as oxidizing.

: Not applicable and/or not determined for the mixture

#### 9.2 Other information

Not applicable and/or not determined for the mixture

## Section: 10. STABILITY AND REACTIVITY

## **Product AS SOLD** 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Do not mix with bleach or other chlorinated products – will cause chlorine gas.

#### 10.4 Conditions to avoid

115741E 10 / 19

None known.

## 10.5 Incompatible materials

**Bases** 

Metals Organic materials

## 10.6 Hazardous decomposition products

Depending on combustion properties, decomposition products may include following materials:

Carbon oxides

Sulphur oxides

## Section: 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

**Product AS SOLD** 

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

**Product** 

Acute oral toxicity : Acute toxicity estimate : > 2,000 mg/kg

: 4 h Acute toxicity estimate : > 20 mg/l Acute inhalation toxicity

Test atmosphere: vapour

Acute dermal toxicity : There is no data available for this product.

Skin corrosion/irritation : There is no data available for this product.

Serious eye damage/eye

irritation

: There is no data available for this product.

Respiratory or skin

sensitization

: There is no data available for this product.

Carcinogenicity : There is no data available for this product.

Reproductive effects : There is no data available for this product.

Germ cell mutagenicity : There is no data available for this product.

Teratogenicity : There is no data available for this product.

STOT - single exposure : There is no data available for this product.

STOT - repeated exposure : There is no data available for this product.

Aspiration toxicity : There is no data available for this product.

Components

: Sodium p-cumenesulphonate LD50 rat: > 7,000 mg/kg Acute oral toxicity

Lactic acid LD50 rat: 3,543 mg/kg

115741E 11 / 19

Glycolic acid LD50 rat: 1,938 mg/kg

Components

Acute inhalation toxicity : Nitric acid 4 h LC50 : 2.65 mg/l

Test atmosphere: vapour

Lactic acid 4 h LC50 rat: > 7.94 mg/l

Test atmosphere: dust/mist

Glycolic acid 4 h LC50 rat: 3.6 mg/l

Test atmosphere: dust/mist

Components

Acute dermal toxicity : Lactic acid LD50 rabbit: > 2,000 mg/kg

**Potential Health Effects** 

**Product AS SOLD** 

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

**Product AT USE DILUTION** 

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

#### **Experience with human exposure**

**Product AS SOLD** 

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

**Product AT USE DILUTION** 

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

115741E 12 / 19

## **Section: 12. ECOLOGICAL INFORMATION**

## Product AS SOLD 12.1 Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

**Product** 

Toxicity to fish : no data available

Toxicity to daphnia and other : no data available

aquatic invertebrates

Toxicity to algae : no data available

Components

Toxicity to fish : sulphuric acid96 h LC50: 22 mg/l

Nitric acid96 h LC50: 72 mg/l

Sodium p-cumenesulphonate96 h LC50 Oncorhynchus mykiss

(rainbow trout): > 1,000 mg/l

Lactic acid96 h LC50 Fish: 130 mg/l

Components

Toxicity to algae : Sodium p-cumenesulphonate96 h EC50 Pseudokirchneriella

subcapitata (algae): > 230 mg/l

Glycolic acid72 h EC50: 44 mg/l

## 12.2 Persistence and degradability

**Product** 

Biodegradability : The surfactants contained in the product are biodegradable

according to the requirements of the detergent regulation

648/2004/EC

Components

Biodegradability : sulphuric acidResult: Not applicable - inorganic

Nitric acidResult: Not applicable - inorganic

Sodium p-cumenesulphonateResult: Readily biodegradable.

Lactic acidResult: Readily biodegradable.

Glycolic acidResult: Readily biodegradable.

## 12.3 Bioaccumulative potential

no data available

## 12.4 Mobility in soil

no data available

115741E 13 / 19

#### 12.5 Results of PBT and vPvB assessment

#### **Product**

Assessment : This substance/mixture contains no components considered to be

either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or

higher.

#### 12.6 Other adverse effects

no data available

#### Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

#### 13.1 Waste treatment methods

#### **Product AS SOLD**

Product : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal

facility.

Contaminated packaging : Dispose of as unused product. Empty containers should be taken

to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local,

state, and federal regulations.

Guidance for Waste Code

selection

: Inorganic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the

toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC)

and local regulations.

#### **Product AT USE DILUTION**

Product

: Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal

facility.

Contaminated packaging : Dispose of as unused product. Empty containers should be taken

to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local,

state, and federal regulations.

## **Section: 14. TRANSPORT INFORMATION**

## **Product AS SOLD**

115741E 14 / 19

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADR/ADN/RID)

14.1 UN number : 3264

14.2 UN proper shipping : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

name

(Nitric acid, Sulphuric acid)

14.3 Transport hazard : 8

class(es)

14.4 Packing group : II14.5 Environmental hazards : No14.6 Special precautions for : None

user

Sea transport (IMDG/IMO)

14.1 UN number : 3264

14.2 UN proper shipping : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

name

(Nitric acid, Sulphuric acid)

14.3 Transport hazard : 8

class(es)

14.4 Packing group : II14.5 Environmental hazards : No14.6 Special precautions for : None

user

14.7 Transport in bulk : Not applicable.

according to Annex II of MARPOL 73/78 and the IBC

Code

## **Section: 15. REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

according to Detergents : 5 % or over but less than 15 %: Anionic surfactants

Regulation EC 648/2004 Contains: Disinfectants

**Regulation (EU) 2019/1148 on the marketing and use of explosives precursors**This product is regulated (containing reportable or/and restricted substances) by Regulation (EU) 2019/1148 (explosives precursors): all suspicious transactions, significant disappearances and thefts should be reported to the relevant national contact point.

Seveso III: Directive : Not applicable.

2012/18/EU of the European Parliament and of the Council on the control of majoraccident hazards involving dangerous substances.

#### **National Regulations**

Take note of Dir 94/33/EC on the protection of young people at work.

Other regulations : The Chemicals (Hazard Information and Packaging for Supply)

Regulations.

The Control of Substances Hazardous to Health Regulations.

Health and Safety at Work Act.

115741E 15 / 19

#### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out on the product.

## **Section: 16. OTHER INFORMATION**

#### Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

Classification	Justification
Corrosive to metals 1, H290	Based on product data or assessment
Skin corrosion 1, H314	Based on product data or assessment
Serious eye damage 1, H318	Based on product data or assessment

#### **Full text of H-Statements**

H272 May intensify fire; oxidiser.	
H302 Harmful if swallowed.	
H314 Causes severe skin burns and eye	damage.
H315 Causes skin irritation.	_
H318 Causes serious eye damage.	
H319 Causes serious eye irritation.	
H331 Toxic if inhaled.	
H332 Harmful if inhaled.	

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM -American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL -Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number -European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx – Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO – International Organisation for Standardization; KECI – Korea Existing Chemicals Inventory; LC50 – Lethal Concentration to 50 % of a test population; LD50 – Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC No Observed (Adverse) Effect Concentration; NO(A)EL – No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH – Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID – Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB -Very Persistent and Very Bioaccumulative

115741E 16 / 19

#### **Further information**

Prepared by : Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

## **Annex: Exposure Scenarios**

## Exposure Scenario: Process cleaner. Cleaning In place (CIP) process

Life Cycle Stage : Use at industrial sites

Product category : **PC35** Washing and cleaning products (including solvent based

products)

## Contributing scenario controlling environmental exposure for:

Environmental release : ERC4 Industrial use of processing aids in processes and

category products, not becoming part of articles

Daily amount per site : 50 kg

Type of Sewage Treatment : Municipal sewage treatment plant

Indoor

Plant

### Contributing scenario controlling worker exposure for:

Process category : **PROC8b** Transfer of substance or preparation (charging/

discharging) from/ to vessels/ large containers at

dedicated facilities

Exposure duration : 60 min

Operational conditions and :

risk management measures

Local Exhaust Ventilation is not required

General ventilation Ventilation rate per hour 1

Skin Protection : see section 8

Respiratory Protection : see section 8

115741E 17 / 19

Indoor

## TRIMETA CD

## Contributing scenario controlling worker exposure for:

Use in closed process, no likelihood of exposure Process category PROC1

**Exposure duration** 480 min

Operational conditions and risk management measures

Local Exhaust Ventilation is not required

General ventilation Ventilation rate per hour 1

Skin Protection see section 8

**Respiratory Protection** see section 8

Exposure Scenario: Process cleaner. Semi closed cleaning process

Life Cycle Stage Use at industrial sites

PC35 Product category Washing and cleaning products (including solvent based

products)

Contributing scenario controlling environmental exposure for:

Environmental release

category

ERC4

Industrial use of processing aids in processes and

products, not becoming part of articles

Daily amount per site 50 kg

Type of Sewage Treatment

Plant

Municipal sewage treatment plant

Contributing scenario controlling worker exposure for:

PROC8b Transfer of substance or preparation (charging/ Process category

discharging) from/ to vessels/ large containers at

dedicated facilities

**Exposure duration** 60 min

Operational conditions and

risk management measures

: Indoor

Local Exhaust Ventilation is not required

General ventilation Ventilation rate per hour 1

Skin Protection see section 8

**Respiratory Protection** see section 8

Contributing scenario controlling worker exposure for:

PROC4 Use in batch and other process (synthesis) where Process category

opportunity for exposure arises

Exposure duration 480 min

115741E 18 / 19

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

## TRIMETA CD

Operational conditions and

risk management measures

: Indoor

Local Exhaust Ventilation is not required

General ventilation Ventilation rate per hour 1

Skin Protection : see section 8

Respiratory Protection : see section 8

115741E 19 / 19