

Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name :	:	TRIMETA CD
Product code :		115741E
Use of the : Substance/Mixture		Cleaner and disinfectant
Substance type: :		Mixture
		For professional users only.

Product dilution information : 2.0 %

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	:	Process cleaner. Cleaning In place (CIP) process Process cleaner. Semi closed cleaning process
Recommended restrictions on use	:	Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet

Company	 Ecolab Ltd. PO Box 11; Winnington Avenue Northwich, Cheshire, United Kingdom CW8 4DX + 44 (0)1606 74488 ccs@ecolab.com
	ccs@ecolab.com

1.4 Emergency telephone number

Emergency telephone number	:	+441618841235 +32-(0)3-575-5555 Trans-European
Poison Information Centre telephone number	:	For medical professionals only: 0344 892 0111

Date of Compilation/Revision	:	09.08.2022
Version	:	3.1

Section: 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Product AS SOLD

Corrosive to metals, Category 1	
Skin corrosion, Category 1	

H290 H314

TRIMETA CD			
Serious eye damage, Catego	ry 1		H318
Product AT USE DILUTION Skin corrosion, Category 1 Serious eye damage, Catego	ry 1		H314 H318
2.2 Label elements			
Labelling (REGULATION (E Product AS SOLD Hazard pictograms	E C)	No 1272/2008)	
		A Real Provide A real and a read and a read and a read and a read	
Signal Word	:	Danger	
Hazard Statements	:	H290 H314	May be corrosive to metals. Causes severe skin burns and eye damage.
Supplemental Hazard Statements	:	EUH071	Corrosive to the respiratory tract.
Precautionary Statements	:	Prevention: P261 P280	Avoid breathing vapours. Wear protective gloves/ eye protection/ face protection.
		Response: P303 + P361 + P3	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water
		P305 + P351 + P3	for several minutes. Remove contact lenses, if
		P310	present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Hazardous components which must be listed on the label: sulphuric acid Nitric acid

Product AT USE DILUTION Hazard pictograms		
Signal Word	: Danger	
Hazard Statements	: H314 Causes severe skin burns and eye damag	ge.
Precautionary Statements	 Prevention: P280 Wear protective gloves/ eye protection/ fa protection. Response: P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rir skin with water or shower. P305 + P351 + P338 IF IN EYES: Rinse cautiously with wa for several minutes. Remove contact lense 	nse ater

P310

present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

2.3 Other hazards

Product AS SOLD

Do not mix with bleach or other chlorinated products - will cause chlorine gas.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Product AS SOLD Hazardous components

Chemical Name	CAS-No.	Classification	Concentration
Chemical Name	EC-No. REACH No.	REGULATION (EC) No 1272/2008	: [%]
sulphuric acid	7664-93-9 231-639-5 01-2119458838-20	Nota B Skin corrosion Category 1A; H314 Skin corrosion Category 1A H314 >= 15 % Skin irritation Category 2 H315 5 - < 15 % Eye irritation Category 2 H319 5 - < 15 %	>= 10 - < 15
Nitric acid	7697-37-2 231-714-2 01-2119487297-23	Nota B Oxidizing liquids Category 2; H272 Acute toxicity Category 3; H331 Skin corrosion Category 1A; H314 Serious eye damage Category 1; H318 Skin corrosion Category 1A H314 >= 20 % Skin corrosion Category 1B H314 5 - < 20 % Oxidizing liquids Category 3 H272 65 - < 99 % Oxidizing liquids Category 2 H272 >= 99 % Skin corrosion/irritation Category 2 1 - < 5 %	>= 5 - < 10
Sodiumcumenesulphonat e	28348-53-0 248-983-7 01-2120759186-46	Eye irritation Category 2; H319 Skin corrosion/irritation Category 3 > 60 %	>= 5 - < 10
Lactic acid	79-33-4 201-196-2 01-2119474164-39	Skin corrosion Sub-category 1C; H314 Serious eye damage Category 1; H318	>= 1 - < 2.5
Glycolic acid	79-14-1 201-180-5 01-2119485579-17	Acute toxicity Category 4; H302 Acute toxicity Category 4; H332 Skin corrosion Category 1B; H314 Serious eye damage Category 1; H318 Serious eye damage/eye irritation Category 1 > 25 % Serious eye damage/eye irritation Category 2	>= 1 - < 2.5

	8 - 25 % Skin corrosion/irritation Category 1B 60 - 100 % Skin corrosion/irritation Category 2 30 - < 60 % Skin corrosion/irritation Category 3 10 - < 30 %
10 - < 50 /8	10 - < 30 %

Product AT USE DILUTION Hazardous components

Chemical Name	CAS-No.	Classification	Concentration
	EC-No.	REGULATION (EC) No 1272/2008	: [%]
	REACH No.		
Nitric acid	7697-37-2	Oxidizing liquidsCategory 2; H272	>= 0.1 - <
	231-714-2	Acute toxicityCategory 3; H331	0.25
	01-2119487297-23	Skin corrosionCategory 1A; H314	
		Serious eye damageCategory 1; H318	
		Skin corrosion Category 1A	
		H314 >= 20 %	
		Skin corrosion Category 1B	
		H314 5 - < 20 %	
		Oxidizing liquids Category 3	
		H272 65 - < 99 %	
		Oxidizing liquids Category 2	
		H272 >= 99 %	
		Skin corrosion/irritation Category 2 1 - < 5%	
		1 - < 5 %	
Substances with a workp	lace exposure limit :		
sulphuric acid	7664-93-9	Skin corrosionCategory 1A; H314	>= 0.25 - <
	231-639-5		0.5
	01-2119458838-20	Skin corrosion Category 1A	
		H314 >= 15 %	
		Skin irritation Category 2	
		H315 5 - < 15 %	
		Eye irritation Category 2	
		H319 5 - < 15 %	
For the full text of the H-Statements mentioned in this Section, see Section 16.			
		in this Section, see Section 16.	
tion: 4. FIRST AID MEA	CIDEC		

4.1 Description of first aid measures

Product AS SOLD In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
In case of skin contact	: Wash off immediately with plenty of water for at least 15 minutes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
If swallowed	: Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
If inhaled	: Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

Product AT USE DILUTION In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
In case of skin contact	: Wash off immediately with plenty of water for at least 15 minutes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
If swallowed	: Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
If inhaled	: Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Indication of immediate medical attention and special treatment needed

Section: 5. FIREFIGHTING MEASURES

Product AS SOLD

5.1 Extinguishing media

	Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
	Unsuitable extinguishing media	:	None known.
5.2	Special hazards arising from	th	e substance or mixture
	Specific hazards during firefighting	:	Not flammable or combustible.
	Hazardous combustion products	:	Depending on combustion properties, decomposition products may include following materials: Carbon oxides Sulphur oxides
5.3	Advice for firefighters		
	Special protective equipment for firefighters	:	Use personal protective equipment.

Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

	Product AS SOLD Advice for non-emergency personnel	:	Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
	Advice for emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.
	Product AT USE DILUTION		
	Advice for non-emergency personnel	:	Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
	Advice for emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.
6.2	Environmental precautions		
	Product AS SOLD		
	Environmental precautions	:	Do not allow contact with soil, surface or ground water.
	Product AT USE DILUTION		

Environmental precautions	: Do not allow contact with soil, surface or ground water.
---------------------------	--

6.3 Methods and materials for containment and cleaning up

Product AS SOLD Methods for cleaning up	: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.
Product AT USE DILUTION Methods for cleaning up	: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

6.4 Reference to other sections

See Section 1 for emergency contact information. For personal protection see section 8. See Section 13 for additional waste treatment information.

Section: 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Product AS SOLD Advice on safe handling	: Do not ingest. Do not get in eyes, on skin, or on clothing. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not breathe spray, vapour. Do not mix with bleach or other chlorinated products – will cause chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.
Product AT USE DILUTION Advice on safe handling	: Do not ingest. Do not get in eyes, on skin, or on clothing. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not breathe spray, vapour. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

7.2 Conditions for safe storage, including any incompatibilities

	Product AS SOLD Requirements for storage areas and containers	:	Keep away from strong bases. Absorb spillage to prevent material damage. Keep out of reach of children. Keep container tightly closed. Keep only in original packaging. Store in suitable labeled containers.
	Storage temperature	:	5 °C to 40 °C
	Packaging material	:	Suitable material: Plastic material
			Unsuitable material: Mild steel, Aluminium
	Product AT USE DILUTION Requirements for storage areas and containers	:	Keep away from strong bases. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
7.3	Specific end uses		
	Product AS SOLD Specific use(s)	:	Process cleaner. Cleaning In place (CIP) process Process cleaner. Semi closed cleaning process

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Product AS SOLD

Occupational Exposure Limits

Components	CAS-N	0.	Value type (Form of exposure)	Control parameters	Basis
sulphuric acid	7664-9	3-9	TWA (Thoracic fraction)	0.05 mg/m3	UKCOSSTD
Further information	14		no specific short-term exposure limit is listed, a figure three times the erm exposure limit should be used.		
			TWA (Mist, thoracic fraction)	0.05 mg/m3	UKCOSSTD
			TWA (Mist)	0.05 mg/m3	2009/161/EU
Further information		Indica	tive		
Nitric acid	7697-3	7-2	STEL	1 ppm 2.6 mg/m3	UKCOSSTD
			STEL	1 ppm 2.6 mg/m3	2006/15/EC
Further information		Indica	tive		

DNEL

DNLL		
Nitric acid	:	End Use: Workers Exposure routes: Inhalation Potential health effects: Short-term - local
		Value: 2.6 mg/m3 End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 1.3 mg/m3

8.2 Exposure controls

Product AS SOLD Appropriate engineering cont	ro	Is
Engineering measures	:	Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.
Individual protection measure	es	
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.
Eye/face protection (EN 166)	:	Safety goggles Face-shield
Hand protection (EN 374)	:	Recommended preventive skin protection Gloves Nitrile rubber butyl-rubber Breakthrough time: 1 – 4 hours Minimum thickness for butyl-rubber 0.7 mm for nitrile rubber 0.4 mm or equivalent (please refer to the gloves manufacturer/distributor for advise). Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

TRIMETA CD

Skin and body protection (EN 14605)	: Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing including appropriate safety shoes
Respiratory protection (EN 143, 14387)	: When respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization, consider the use of certified respiratory protection equipment meeting EU requirements (89/656/EEC, (EU) 2016/425), or equivalent, with filter type:B
Product AT USE DILUTION Appropriate engineering con	ntrols
Engineering measures	: Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.
Individual protection measu	res
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.
Eye/face protection (EN 166)	: Safety goggles Face-shield
Hand protection (EN 374)	 Recommended preventive skin protection Gloves Nitrile rubber butyl-rubber Breakthrough time: 1 – 4 hours Minimum thickness for butyl-rubber 0.7 mm for nitrile rubber 0.4 mm or equivalent (please refer to the gloves manufacturer/distributor for advise). Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin and body protection (EN 14605)	: Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing including appropriate safety shoes
Respiratory protection (EN 143, 14387)	: None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.

Environmental exposure controls

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

		Product AS SOLD	Product AT USE DILUTION	
Appearance	:	liquid	liquid	
Colour	:	clear, light yellow	colourless	
Odour	:	slight	characteristic	
рН	:	1.0, 100 %	1.1	
Flash point	:	Not applicable., Does not sustain	combustion.	
Odour Threshold	:	Not applicable and/or not determ	ined for the mixture	
Melting point/freezing point	:	Not applicable and/or not determ	ined for the mixture	
Initial boiling point and boiling range	:	> 100 °C		
Evaporation rate	:	Not applicable and/or not determ	ined for the mixture	
Flammability (solid, gas)	:	Not applicable and/or not determ	ined for the mixture	
Upper explosion limit	:	Not applicable and/or not determ	ined for the mixture	
Lower explosion limit	:	Not applicable and/or not determined for the mixture		
Vapour pressure	:	Not applicable and/or not determ	ined for the mixture	
Relative vapour density	:	Not applicable and/or not determ	ined for the mixture	
Relative density	:	1.17 - 1.21		
Water solubility	:	soluble		
Solubility in other solvents	:	Not applicable and/or not determ	ined for the mixture	
Partition coefficient: n- octanol/water	:	Not applicable and/or not determ	ined for the mixture	
Auto-ignition temperature	:	Not applicable and/or not determ	ined for the mixture	
Thermal decomposition	:	Not applicable and/or not determ	ined for the mixture	
Viscosity, kinematic	:	Not applicable and/or not determ	ined for the mixture	
Explosive properties	:	Not applicable and/or not determ	ined for the mixture	
Oxidizing properties	:	The substance or mixture is not o	lassified as oxidizing.	

9.2 Other information

Not applicable and/or not determined for the mixture

Section: 10. STABILITY AND REACTIVITY

Product AS SOLD 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Do not mix with bleach or other chlorinated products - will cause chlorine gas.

10.4 Conditions to avoid

None known.

10.5 Incompatible materials

Bases Metals Organic materials

Mild steel Aluminium

10.6 Hazardous decomposition products

Depending on combustion properties, decomposition products may include following materials: Carbon oxides Sulphur oxides

Section: 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Product AS SOLD

Information on likely routes of	:	Inhalation, Eye contact, Skin contact
exposure		

Product

Acute oral toxicity	: Acute toxicity estimate : > 2,000 mg/kg
Acute inhalation toxicity	: 4 h Acute toxicity estimate : > 20 mg/l Test atmosphere: vapour
Acute dermal toxicity	: There is no data available for this product.
Skin corrosion/irritation	: There is no data available for this product.
Serious eye damage/eye irritation	: There is no data available for this product.
Respiratory or skin sensitization	: There is no data available for this product.
Carcinogenicity	: There is no data available for this product.
Reproductive effects	: There is no data available for this product.
Germ cell mutagenicity	: There is no data available for this product.
Teratogenicity	: There is no data available for this product.
STOT - single exposure	: There is no data available for this product.
STOT - repeated exposure	: There is no data available for this product.
Aspiration toxicity	: There is no data available for this product.
Components	

Components

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Acute oral toxicity	: Sodiumcumenesulphonate LD50 rat: > 7,000 mg/kg
-	Lactic acid LD50 rat: 3,543 mg/kg
	Glycolic acid LD50 rat: 1,938 mg/kg
Components	,
Acute inhalation toxicity	: Nitric acid 4 h LC50 : 2.65 mg/l Test atmosphere: vapour
	Sodiumcumenesulphonate 4 h LC50 rat: > 770 mg/l Test atmosphere: dust/mist
	Lactic acid 4 h LC50 rat: > 7.94 mg/l Test atmosphere: dust/mist
	Glycolic acid 4 h LC50 rat: 3.6 mg/l Test atmosphere: dust/mist
Components	
Acute dermal toxicity	: Sodiumcumenesulphonate LD50 rabbit: > 2,000 mg/kg
Potential Health Effects	
Product AS SOLD Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Causes digestive tract burns.
Inhalation	: May cause nose, throat, and lung irritation.
Chronic Exposure	: Health injuries are not known or expected under normal use
Product AT USE DILUTION Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Causes digestive tract burns.
Inhalation	: May cause nose, throat, and lung irritation.
Chronic Exposure	: Health injuries are not known or expected under normal use
Experience with human expo	osure
Product AS SOLD Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Pain, Corrosion
Ingestion	: Corrosion, Abdominal pain
Inhalation	: Respiratory irritation, Cough

Product AT USE DILUTION

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

TRIMETA CD		
Eye contact	: Redness, Pain, Corrosion	
Skin contact	: Redness, Pain, Corrosion	
Ingestion	: Corrosion, Abdominal pain	
Inhalation	: Respiratory irritation, Cough	

Section: 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Product AS SOLD Environmental Effects	: This product has no known ecotoxicological effects.
Product AT USE DILUTION Environmental Effects	: This product has no known ecotoxicological effects.
Product AS SOLD Product	
Toxicity to fish	: no data available
Toxicity to daphnia and other aquatic invertebrates	: no data available
Toxicity to algae	: no data available
Components	
Toxicity to fish	: sulphuric acid96 h LC50: 22 mg/l
	Nitric acid96 h LC50: 72 mg/l
	Sodiumcumenesulphonate96 h LC50 Fish: > 450 mg/l
	Lactic acid96 h LC50 Oncorhynchus mykiss (rainbow trout): 130 mg/l
Components	
Toxicity to daphnia and other aquatic invertebrates Components	: Lactic acid48 h EC50 Daphnia magna (Water flea): 130 mg/l
Toxicity to algae	: Lactic acid72 h EC50 Pseudokirchneriella subcapitata (green algae): > 2,800 mg/l
	Glycolic acid72 h EC50: 44 mg/l
12.2 Persistence and degradabili	ity
Product	
no data available	

Components

D's la sur la la l'l'e	a laboration of the second s
Biodegradability	 sulphuric acidResult: Not applicable - inorganic

Nitric acidResult: Not applicable - inorganic

SodiumcumenesulphonateResult: Readily biodegradable.

Lactic acidResult: Readily biodegradable.

Glycolic acidResult: Readily biodegradable.

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

Product

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste.Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

13.1 Waste treatment methods

Product AS SOLD Product	Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of contents/container in accordance with local regulations Dispose of wastes in an approved waste disposal facility.
Contaminated packaging	Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.
Guidance for Waste Code selection	Inorganic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.
Product AT USE DILUTION Product	Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of contents/container in accordance with local regulations Dispose of wastes in an

TRIMETA CD	
Contaminated packaging	 approved waste disposal facility. Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADR/ADN/RID) 14.1 UN number 14.2 UN proper shipping name	:	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user	:	(Nitric acid, Sulphuric acid) 8 II No None
Air transport (IATA) 14.1 UN number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user	: : :	3264 Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid, Sulphuric acid) 8 II No None
Sea transport (IMDG/IMO) 14.1 UN number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code		3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid, Sulphuric acid) 8 II No None Not applicable.

Section: 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or

mixture

according to Detergents Regulation EC 648/2004 : Contains: Disinfectants

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors

This product is regulated (containing reportable or/and restricted substances) by Regulation (EU) 2019/1148 (explosives precursors): all suspicious transactions, significant disappearances and thefts should be reported to the relevant national contact point.

Seveso III: Directive : Not applicable. 2012/18/EU of the European Parliament and of the Council on the control of majoraccident hazards involving dangerous substances.

Candidate List of Substances : Not applicable. of Very High Concern for Authorisation

National Regulations

Take note of Dir 94/33/EC on the protection of young people at work.

Other regulations :	: The Chemicals (Hazard Information and Packaging for Supply) Regulations.
	The Control of Substances Hazardous to Health Regulations. Health and Safety at Work Act.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out on the product.

Section: 16. OTHER INFORMATION

Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

Classification	Justification
Corrosive to metals 1, H290	Based on product data or assessment
Skin corrosion 1, H314	Based on product data or assessment
Serious eye damage 1, H318	Based on product data or assessment

Full text of H-Statements

H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada);

ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Prepared by

: Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Annex: Exposure Scenarios

Exposure Scenario: Process cleaner. Cleaning In place (CIP) process

: Use at industrial sites

Life Cycle Stage

Product category

: **PC35** Washing and cleaning products (including solvent based products)

Contributing scenario controlling environmental exposure for:

Environmental release category	:	ERC4	Industrial use of processing aids in processes and products, not becoming part of articles
Daily amount per site	:	50 kg	
Type of Sewage Treatment Plant	:	Municipal s	ewage treatment plant

Contributing scenario controlling worker exposure for:

Process category	:	PROC8b	Transfer of substance or preparation (charge discharging) from/ to vessels/ large contained dedicated facilities	
Exposure duration	:	60 min		
Operational conditions and risk management measures	:	Indoor		
		Local Exha	ust Ventilation is not required	
General ventilation		Ventilation	rate per hour	1
Skin Protection	:	see section	8	
Respiratory Protection	:	see section	8	

Contributing scenario controlling worker exposure for:

Process category	:	PROC1	Use in closed process, no likelihood of expo	sure
Exposure duration	:	480 min		
Operational conditions and risk management measures	:	Indoor		
		Local Exha	ust Ventilation is not required	
General ventilation		Ventilation	ate per hour	1
Skin Protection	:	see section	8	
Respiratory Protection	:	see section	8	

Exposure Scenario: Process cleaner. Semi closed cleaning process

Life Cycle Stage	:	Use at industrial sites		
Product category	:	PC35	Washing and cleaning products (including solvent based products)	

Contributing scenario controlling environmental exposure for:

Environmental release category	:	ERC4	Industrial use of processing aids in processes and products, not becoming part of articles
Daily amount per site	:	50 kg	

Type of Sewage Treatment : Municipal sewage treatment plant Plant

Contributing scenario controlling worker exposure for:

Process category	:	PROC8b	Transfer of substance or preparation (charg discharging) from/ to vessels/ large containe dedicated facilities	
Exposure duration	:	60 min		
Operational conditions and risk management measures	:	Indoor		
		Local Exha	ust Ventilation is not required	
General ventilation		Ventilation	rate per hour	1
Skin Protection	:	see section	8	
Respiratory Protection	:	see section	8	

Contributing scenario controlling worker exposure for:

Process category	:	PROC4	Use in batch and other process (synthesis) we opportunity for exposure arises	where
Exposure duration	:	480 min		
Operational conditions and risk management measures	:	Indoor		
		Local Exha	ust Ventilation is not required	
General ventilation		Ventilation	rate per hour	1
Skin Protection	:	see section	8	
Respiratory Protection	:	see section	8	